

illuminartis

LIGHT MANUFACTORY



CONVERGIO

By virtue of a sophisticated mechanism, the two light sources can be tilted and rotated in the desired direction along the vertical pole.



ILLUMINARTIS

Top quality and timelessness

The combination of Illuminatio (lighting) and "ars," "artis" (art, artistry) stands for the elegantly proportioned products of the Swiss Light Manufactory Illuminartis. With great attention to detail, a specially trained team creates stylish and understated lamps that combine timeless design with the highest level of craftsmanship. By expanding the CONVERSIO product family, Illuminartis has remained true to itself. In collaboration with the creative minds of the internationally renowned design studio atelier oi, Illuminartis succeeds in combining the passion for aesthetically beautiful LED lamps with the highest demands for perfect workmanship, using high-quality raw materials and components produced by Swiss manufacturers.



MANUFACTORY

Exquisite and exceptional

The Light Manufactory based in the Emmental region specialises in high-quality LED lamps from raw materials and components produced by Swiss manufacturers. The reflector rings are pressed into their characteristic shape from a single piece of aluminium. Before the anodisation process, they are precisely and elaborately polished by hand. A lot of experience and great sensitivity to the material are needed to create a homogenous surface, which makes every lamp unique. CONVERSIO is available in three beautifully coordinated and warm anodized colours, which turn the lamps into effective design elements even in daylight.






PERFECT SYMBIOSIS

Of light, shape, and material

Two reflector rings with integrated LED lights, as are known as design elements from the CONVERSIO pendant luminaire, appear to float along the central rod. By virtue of a sophisticated mechanism, the two light sources can be tilted and rotated in the desired direction along the vertical pole. The flexibility of the positions and the ability to dim both light sources independently affords the user a variety of individual lighting moods utilizing indirect or direct lighting. The uplight, for example, creates a pleasant atmosphere throughout the room thanks to its harmonious projection of light. Optionally, the upper reflector ring may also be used as a downlight, which directs the light softly towards the floor. CONVERSIO promises versatility. The lower light source creates a cosy atmosphere in the living area or can be used as a reading light to ensure pleasant illumination of your favourite reading matter.



design by

atelier oi

atelier oi was founded in 1991 by Aurel Aebi, Armand Louis, and Patrick Reymond in La Neuveville. For more than 20 years they have been challenging norms and conventions and promoting cross-disciplinarity. Their international successes range from architecture and interior architecture to design and scenography and are characterised by a multidisciplinary approach, solidarity, and a close relationship with the material. In between experimenting and engaging in cultural exchange, atelier oi works for globally renowned companies.





Downlight
nougat



mocha



Uplight
champagne

CONVERGIO FLOOR LAMP swissmade

Material: light fixture, central rod, and base	aluminium
Material: mechanical components	stainless steel
Colour: light fixture and base cover	champagne (C31), anodised nougat (C33), anodised mocha (C34), anodised
Colour: central rod	clear anodised finish
Colour: connector cable	black
Cable length	2 metres including plug and foot switch
Overall height	1.90 metres
Base diameter	300 mm, with integrated cable storage
Colour temperature	warm-white 2700 Kelvin
Voltage	230 V / 50 – 60 Hz
Wattage	a maximum of 35 watts
Bulbs	LED

UPPER LIGHT

Uplight version	Light distribution top
Downlight version	Light distribution bottom
Uplight/downlight conversion	subsequently at the factory
Diameter	400 mm
Position	1.69 Meter
Adjustable range, mechanically	continuous rotation 100° / tilt +/- 60°
Lighting current	2800 Lumens
Dimming	Continuous 0 – 100% by turning the wand

LOWER LIGHT

Reading light	Light distribution bottom
Diameter	260 mm
Position	1.20 Meter
Adjustable range, mechanically	continuous rotation 100° / tilt +/- 60°
Lighting current	1400 Lumens
Dimming	Continuous 0 – 100% by turning the wand

FLOOR LAMP S-1900	Uplight version
Aluminium champagne anodised	Item no. IL.CO.S-1900.DF.230N.30
Aluminium nougat anodised	Item no. IL.CO.S-1900.DF.230N.31
Aluminium mocha anodised	Item no. IL.CO.S-1900.DF.230N.32

FLOOR LAMP S-1900	Downlight version
Aluminium champagne anodised	Item no. IL.CO.S-1900.BF.230N.30
Aluminium nougat anodised	Item no. IL.CO.S-1900.BF.230N.31
Aluminium mocha anodised	Item no. IL.CO.S-1900.BF.230N.32

illuminartis
c/o FL Metalltechnik AG
Fabrikstrasse 14
CH-3455 Grünen

T +41 (0)34 432 41 44
F +41 (0)34 432 41 45

www.illuminartis.ch
info@illuminartis.ch

